# Lardner Park

# **EXHIBITOR SITE & ACTIVITY RISK ASSESSMENT**

FARM WORLD 2022

Exhibitor Details	Site Number (if known)
Company/Organisation:	
Site Contact (during event): Mobile Contact (during event):	

ITEM	HAZARD	PRI	ESENT	CONTROLS
1.	TRIP, SLIP AND FALL HAZARDS	YES	NO	
1.1	Trip hazards identified, (ie uneven surfaces, tent pegs, guy ropes,	_	-	
	electrical cables, steps)			
1.2	Slip hazards identified (ie wet surfaces, substances causing surface			
	to be slippery, inclined surfaces)			
1.3	Fall hazards identified (ie workers/visitors on raised areas, climbing			
	onto machinery, use of scaffold, booms, elevated work platforms,			
	ladders)			
2	PLANT AND MACHINERY HAZARDS			
2.1	Hazards associated with demonstration of mobile plant and			
	machinery identified (ie operating mobile plant where it can come			
	into contact with visitors or other workers, contact with moving			
	parts such as fan belts, children being run over by moving			
	equipment)			
2.2	Hazards associated to stationary plant (ie workers / visitors coming into contact with moving / sharp / hot equipment such as belts,			
	shafts, sharp edges, exhaust pipes. Exhaust emissions in confined or			
	restricted spaces)			
3	DANGEROUS GOODS / HAZARDOUS SUBSTANCES			
3.1	Dangerous Goods/Hazardous substances present - (Dangerous			
-	Goods [as defined by OHS Dangerous Goods Regulations])			
	pesticides, herbicides, fuels, solvents, chemicals which could be			
	hazardous to workers or visitors through ingestion, contact, fume or			
	dust)			
4	CUT AND LACERATION HAZARDS			
4.1	Sharp objects as cut and laceration risks (ie sharp edges on stands,			
	structures or machinery, blades on machinery, protrusions which			
	could puncture the skin or damage eyes)			
5	ELECTRICAL HAZARDS			
5.1	Electrical hazards identified (eg. electrocution via contact with			
	damaged cords or equipment, cables subject to water from weather			
	or leakage, contact with overhead or underground power cables)			
6	CATTLE AND LIVESTOCK HAZARDS			
6.1	Cattle or Livestock in exhibition and hazards identified (ie visitors			
	crushed / trampled / gored by cattle or livestock)			
7	THERMAL HAZARDS			
7.1	Thermal (hot / cold) hazards identified. (ie workers / public can		1	
	come into contact with hot or cold extremes causing injury,			
	machinery such as incubators, heaters, engines with exhausts, dry			
8	ice, freezers, scolding from hot water or steam) FIRE HAZARDS			
	Fire hazards (ie naked flame, grinding or machinery sparks,			
8.1	unnecessary combustible/flammable material. Contact with flame by			
	clothing / combustible material)		1	
			_1	

				Lardner Park
ITEM	HAZARD	PR	ESENT	CONTROLS
9	GRAVITATIONAL HAZARDS	YES	NO	
9.1	Gravitational hazards (ie items stored at height which could fall on			
	workers or public, unstable temporary structures)			
10	PRESSURE HAZARDS			
10.1	Pressure hazards (ie gas cylinders and lines, hydraulic hoses,			
	compressed air, high pressure water, gas cylinders knocked over			
	and valves damaged, hoses springing a leak and spraying workers			
	and members of public, fittings loosening and hitting			
	workers/public). Note: gas cylinders must be checked regularly and			
	badged by a licensed person. Energy Safe Victoria compliances			
	must be adhered to.			
11	HAZARDS LESS COMMON TO THE EVENT			
11.1	Noise hazards (OHS (Noise) Regulations apply) Note: It is expected			
	exposure or intensity would not exceed requirements of Statutory			
	Regulations.			
11.2	Radiation (ie U/V, microwave, lasers, welding)			
11.3	Microbiological hazards. (contact with blood or bodily substances,			
	food contamination.)			
12	COVID-19 SAFE			
	A Covid Safe Plan is in place to reduce the risk of infection,			
	including hygiene, social distancing and record keeping (i.e.			
	wearing of face masks, use of hand sanitiser, records kept for			
	contact tracing, social distancing maintained within density			
	quotas and patron caps within exhibit, displaying of signage.			
13	OTHER HAZARDS			
Seer	ggested Risk Controls ATTACHED		1	
Jee St	izzesteu nisk controls ATTACHED			



# SUGGESTED RISK CONTROLS

<b>1.</b> 1.1	SLIPS TRIPS AND FALLS TRIP HAZARDS	2 PLANT AND MACHINERY HAZARDS 2.1 MOBILE PLANT
	sted Controls:	Suggested Controls:
00	Exhibition designed to minimise hazards	<ul> <li>Full risk assessment conducted including conditions expected at the site</li> </ul>
	Barriers in place to separate people from hazard	<ul> <li>Segregation of pedestrians by means of barriers, fences or wardens</li> </ul>
	Mats placed over uneven surfaces and cables	<ul> <li>Machine guarding in place</li> </ul>
	Signs / flags / indicators in place to warn of hazard	<ul> <li>Experienced and competent operators</li> </ul>
1.2	SLIP HAZARDS	<ul> <li>Development and operator training in Safe Work Procedures taking into</li> </ul>
	sted Controls:	account environment. Safe work procedures should take into account:
	Exhibition designed to minimise hazards	Vicinity of other workers and visitors when starting machine
	Barriers in place to separate people from hazard	<ul> <li>Passengers not to be carried</li> </ul>
	Surface dried or cleaned as soon as hazard occurs	-
	Warning signs	Safety when backing the machine
1.3	FALL HAZARDS	Not to be left unattended when running
	sted Controls:	Removal of keys
	Hand rails and steps to be of solid construction and manufactured in accordance	<ul> <li>Booms and tines to be lowered before vacating machine</li> </ul>
	with Australian Standards	<ul> <li>Operating of machinery in vicinity of overhead/underground power</li> </ul>
		Use of seat belts if fitted
	Attendants in place to instruct and assist visitors climbing onto plant and	<ul> <li>Use of machinery on inclined or uneven surfaces</li> </ul>
	machinery	<ul> <li>Speed limits and load restrictions</li> </ul>
		2.2 STATIONARY MACHINERY HAZARDS
		Suggested Controls:
		<ul> <li>Full risk assessment conducted including conditions expected at the Site</li> </ul>
2	DANGEROUS GOODS / HAZARDOUS SUBSTANCES	<ul> <li>Segregation of pedestrians by means of barriers, fences or wardens</li> </ul>
3 Suggoo		<ul> <li>Machine guarding in place</li> </ul>
00	sted Controls: All Dangerous Coods / Hazardous substances in suitable containers, labelled and	<ul> <li>Experienced and competent operators</li> </ul>
	All Dangerous Goods / Hazardous substances in suitable containers, labelled and with appropriate warring labels	<ul> <li>Development and operator training in Safe Work Procedures taking into</li> </ul>
	with appropriate warning labels Material Safety Data Sheets available at your location and supplied to the First Aid	account environment including:
	, , , , , , , , , , , , , , , , , , , ,	<ul> <li>Vicinity of other workers and visitors when starting machine</li> </ul>
	providers	<ul> <li>Passengers not to be carried</li> </ul>
	Precautions stated on the MSDS to be followed	<ul> <li>Safety when backing the machine</li> </ul>
	Protective equipment available to the workers (if required)	
	Visitors (especially children) to be kept away from Dangerous Goods / Hazardous	Not to be left unattended when running
	substances by means of barriers / constant supervision	Removal of keys
	Consider bringing clean, empty containers for display purposes	<ul> <li>Booms and tines to be lowered before vacating machine</li> </ul>
*	Develop Safe Work procedures where there is a need to open or decant	<ul> <li>Operating machinery in vicinity of overhead/underground power</li> </ul>
	containers. Ensure staff are properly trained in SWP	Use of seat belts if fitted
NOTE:	Occupational Health and Safety (Dangerous Goods) Regulations apply	<ul> <li>Use of machinery on inclined or uneven surfaces</li> </ul>
		Speed limits and load restrictions
4	CUT AND LACERATION HAZARDS	
Sugges	sted Controls:	
	liminate sharp objects and protrusions from your exhibition	
	lace barriers between sharp objects and workers/visitors	
	ad/tape sharp objects to minimise injury if contact made	
5	ELECTRICAL HAZARDS	6 CATTLE AND LIVESTOCK HAZARDS
, Sugges	sted Controls:	Suggested Controls:
	Electrical devices, cords and tools inspected by qualified electrician for wear or	<ul> <li>Cattle and livestock fully restrained by appropriate devices at all times, or</li> </ul>
•		
	damage	, , , , , , , , , , , , , , , , , , , ,
	damage BCD (Safety switch) inserted in circuit near power outlet (power mushroom)	<ul> <li>Barriers placed between public and animals</li> </ul>
*	RCD (Safety switch) inserted in circuit near power outlet (power mushroom)	, , , , , , , , , , , , , , , , , , , ,
* *	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or	<ul> <li>Barriers placed between public and animals</li> </ul>
* *	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> </ul>
* * *	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>THERMAL HAZARDS</li> </ul>
* * *	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>THERMAL HAZARDS</li> <li>Suggested Controls:</li> </ul>
* * * NOTE:	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>7 THERMAL HAZARDS</li> <li>Suggested Controls:</li> <li>Public segregated from hot/cold objects by barriers</li> </ul>
* * * NOTE:	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>7</b> THERMAL HAZARDS</li> <li>Suggested Controls:</li> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> </ul>
* * * NOTE:	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>7 THERMAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> </ul> </li> </ul>
* * * NOTE:	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>7 THERMAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> </ul> </li> </ul>
↔ ↔ NOTE: run thr	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site.	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>7 THERMAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site.	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>THERMAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li>GRAVITATIONAL HAZARDS</li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Sugges</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls:	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS Suggested Controls:</li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Suggess</li> <li>Pi</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Suggess</li> <li>&gt; Pi</li> <li></li> <li></li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Suggess</li> <li>Pi</li> <li>Ci</li> <li>N</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> <li>Temporary structures checked for stability and strength taking into account</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Sugges</li> <li>Pi</li> <li>Sugges</li> <li>N</li> <li>N</li> <li>A</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected ppropriate fire extinguisher/blanket in vicinity	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Sugges</li> <li>Pi</li> <li>Ci</li> <li>N</li> <li>A</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected ppropriate fire extinguisher/blanket in vicinity PRESSURE HAZARDS	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> <li>Temporary structures checked for stability and strength taking into account</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Sugges</li> <li>Pi</li> <li>Ci</li> <li>N</li> <li>A</li> <li>10</li> <li>Sugges</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected ppropriate fire extinguisher/blanket in vicinity PRESSURE HAZARDS sted Controls:	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> <li>Temporary structures checked for stability and strength taking into account possible conditions (wind, wet ground etc)</li> </ul> </li> </ul>
<ul> <li>NOTE:</li> <li>run thr</li> <li>8</li> <li>Suggess</li> <li>Pi</li> <li>Ci</li> <li>N</li> <li>A</li> <li>10</li> <li>Suggess</li> <li>\$</li> </ul>	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected ppropriate fire extinguisher/blanket in vicinity PRESSURE HAZARDS sted Controls: All equipment hoses and cylinders inspected prior exhibition	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li><b>THERMAL HAZARDS</b></li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li><b>9</b> GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> <li>Temporary structures checked for stability and strength taking into account possible conditions (wind, wet ground etc)</li> </ul> </li> </ul>
* * NOTE: run thr 8 Sugges * Pi * Ci * * 10 Sugges * * * * * * * * * * * * * * * * * * *	RCD (Safety switch) inserted in circuit near power outlet (power mushroom) Cables and leads inspected "in situ" to identify risk of crushing / cutting / or exposure to moisture Locations of overhead / underground electrical cable established prior to setting up exhibition Location of underground cables will be marked on ground. Overhead power lines ough the site. FIRE HAZARDS sted Controls: ublic/workers segregated from sources of fire by barriers ombustible material kept to minimum & segregated from ignition source o smoking near flammable material & warning signed erected ppropriate fire extinguisher/blanket in vicinity PRESSURE HAZARDS sted Controls:	<ul> <li>Barriers placed between public and animals</li> <li>Attendants aware of possible hazards and have full control of animals</li> <li>THERMAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Public segregated from hot/cold objects by barriers</li> <li>Warning signs erected</li> <li>Workers informed of hazards and trained to avoid injury</li> <li>Protective equipment supplied to workers (where required)</li> </ul> </li> <li>GRAVITATIONAL HAZARDS</li> <li>Suggested Controls:         <ul> <li>Heavy items not to be stored at heights</li> <li>Public/workers segregated from areas where items may fall</li> <li>Temporary structures checked for stability and strength taking into account possible conditions (wind, wet ground etc)</li> </ul> </li> </ul>



# **SAFETY GUIDELINES** - FOR EXHIBITORS

Please V the appropriate box

## **ELECTRICAL SAFETY**

I will ensure Lardner Park electrical protocols are met

#### **Underground power alert:**

UNDERGROUND POWER HAS BEEN MARKED WITH RED LINES for the Farm World event

Pegs/poles/excavations must not be within ONE metre of outdoor power outlets (riser poles) and if excavations exceed 300 mm, can only be used after underground power in vicinity has been located which must be arranged through Lardner Park administration (cost of locating is charged to hirer). High voltage overhead power lines are on the property. It is illegal for any flagpole, building or structure to be erected within 6 metres of the lines (includes under lines and a 6metre exclusion zone to each side).

YES

YES

YES

YES

Portable electrical equipment, (power leads, electrical tools, fridges, stoves etc) are required by Worksafe Victoria to be tested and tagged by a qualified electrician with 3mths prior to your event. Lardner Park can arrange for an electrician to be on site to test and tag equipment, with costs the responsibility of the hirer.

#### **IMPORTANT NOTES**

Where electrical cords or plant is plugged into general-purpose outlets (GPO), connection must be through a portable, self-contained earth leakage device plugged directly into GPO. All electrical leads must be heavy duty type and fitted with three pin plugs of transparent type. Cords must not exceed maximum length according to their amp rating. E.g. 10amp electrical cords not exceed 32m & 20amp leads not exceed 40m. Double adaptors & 3-pin plug adaptors (pig-a-back) not to be used if exposed to moisture without waterproof connection.

### **GAS SAFETY**

#### I will ensure gas safety protocols are met

Storage and handling of LP Gas, including use of BBQs in marquees must comply with the Code of Practice for safe use of LP Gas at public events in Victoria. Mobile Catering Vehicles – all mobile catering vehicles or trailers utilizing LP Gas must display an Energy Safe Victoria Compliance plate ensuring equipment meets gas installation standard. Refer esv.vic.gov.au BBQs and Appliances – all appliances (including BBQs) must display a certified approval badge. Gas cylinders (including balloon gas) must be securely attached to a solid object to prevent cylinders being knocked over.

### FOOD SAFETY

#### I will ensure Lardner Park food safety protocols are met

I/A	L	

N/A

N/A

YES All outlets with any catering must provide a 'Streatrader' certificate with your application.

Please refer to <u>https://streatrader.health.vic.gov.au/about/about-streatrader</u>

Your certificate must be current and displayed on your site. Baw Baw Shire Council will have Environmental Officers on site during the event.

## **TEMPORARY STRUCTURES**

I will ensure guidelines for temporary structures are met

Tents, marguees or booths exceeding 100m<sup>2</sup>; seating stands for more than 20 persons or platforms (including sky borders and stage wings) exceeding 150m<sup>2</sup>; or prefabricated buildings exceeding 100m<sup>2</sup> - excluding those placed directly on ground surface, must be advised to the Lardner Park office as these require special permitting to comply with Building Code of Australia regulations. All structures must be clean, in presentable condition and securely fastened.

### NAKED FLAMES

## I will ensure guidelines for Naked Flames are met

Naked Flames are only permitted on stands if suitably enclosed in fire box or similar enclosure. A barrier must be placed between fire and public. Fire extinguisher must be kept in vicinity of fire.

					Lardner
RAISED EQUIPMENT					
I will ensure any hydraulic operated machine or attachment not fitted	YES		N/A		
with a self-locking system will have a safety prop fitted when raised for displa	ay purp	oses			
LOADING & UNLOADING					
I will ensure loading/unloading is confined to my site. All machinery	YES		N/A		
used will be in a safe and serviceable condition with all operators appropriate	ly licen	sed			
INCIDENT REPORTING					
I will ensure Lardner Park incident reporting guidelines are met	YES		N/A		
All accidents and incidents on-site must be reported immediately to the Event Org	ganiser	on the atta	ched f	orm	
COVID-19 SAFE PLAN					
I will ensure that I have a copy of my Covid Safe Plan on display					
during Farm World	YES		N/A		

I present that I have the necessary competency and control measures as detailed which are suitable in controlling the identified hazards I have stated. I agree to implement all control measures listed in this Risk Assessment.

Name of person completing Risk Assessment:
Exhibitor Organisation Name:
Details of competency (qualifications/experience):
(Company representative completing risk assessment) Checking this box constitutes my electronic signature to the document(s) in question and is legally binding Date :

Lardner Park	LARDNER PARK IN	CIDENT REPORT	
			REPORT FORM
Employee	Contractor  Client	Othe	n.
			· · · · · · · · · · · · · · · · · · ·
Date of Injury		Time	
Name of Injured Person		Sex :	Male
Home Address			Female
Home Address			
Home Telephone No			Job Title
Mobile No Date of Birth			tered/Start time d/Finished time
Date of Birth		Kostere	
What were you doing at the time	e of the injury?		
Exact location of incident			
Type of accident (e.g. slip,trip,fa	all,burn etc)		
Treatment of injury			
Own Doctor		Hospital	
<ul> <li>First aid administered of</li> </ul>	nlv	None required	
Please explain treatment admin			
· · · · · ·			
What part of the body was injure	ed?		
Please indicate / circle position	of injury: Location of Accide	ent (Diagram of the incident):	
RIGHT LEFT	RIGHT		
THAT			
HIT			
AR			
	njury to this part of the body previou	sly?	🗌 Yes 🗌 No
If Yes please explain			

https://gippslandfielddays.sharepoint.com/Administ/a00/20/2/afeg/06c/ElMent Incident Near Miss Report Form LARDNER PARK.xls

ote: - If additional note	paper is requi	red for this report ple	ase add & staple th	em together					
Witness name				Signature					
Home Phone No				Mobile No					
Job Title				Dept					
Date reported				Time reported					
Person Reporting				Signature					
Team Leader				Signature					
Phone contact no.				Mobile					
. Hone contact no.				NODIIC					
	тн	IS SECTION TO BE (		ANAGER/ SUPER	VISOR				
vestigated by									
ite									
ite									
vestigation Commen	ts								
vestigation Commen	ts								
vestigation Commen	ts								
vestigation Commen	ts								
vestigation Commen	ts								
vestigation Commen	ts								
		Sany							
		sary							
		sary							
		sary							
		sary							
		sary							
		sary							
llow up action / Trea	itment necess		g Again				Yes		
llow up action / Trea	Itment necess	o Stop This Happenin		a Further Incident!			Yes		
llow up action / Trea	Itment necess	o Stop This Happenin		a Further Incident!					
Ilow up action / Trea las The Hazard Been Dr: Have Control Mea	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the	people from having m that there has beer	an accident, inciden	t or near m		Yes		No
Ilow up action / Trea	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the	people from having	an accident, inciden	t or near m		Yes		No
ollow up action / Trea Has The Hazard Been Dr: Have Control Mea	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the	people from having m that there has beer	an accident, inciden	t or near m		Yes		No
Dilow up action / Trea	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the	beople from having m that there has beer e / action to prevent a	an accident, inciden	t or near m		Yes	□ v them suf	No
Dilow up action / Trea	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the to investigate	beople from having m that there has beer e / action to prevent a WC	an accident, inciden reoccurrence. Claim submitted	Yes	niss this r	Yes will allow No	them suf	No
vestigation Commen	Eliminated To sures been po	o Stop This Happenin ut in place to Protect p <b>DH&amp;S</b> team to notify the to investigate	beople from having m that there has beer e / action to prevent a WC	an accident, inciden reoccurrence.		□ niss this r	Yes will allow	them suf	No